

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

#5

Applicant: Andrew P. Kramer et al.

Title: SYSTEM AND METHOD FOR CARDIAC RHYTHM MANAGEMENT WITH SYNCHRONIZED  
PACING PROTECTION PERIOD

Docket No.: 279.166US1

Serial No.: 09/748,754

Filed: December 26, 2000

Due Date: July 7, 2001

Examiner: Unknown

Group Art Unit: 3762

Attn: Box Missing Parts  
Commissioner for Patents  
Washington, D.C. 20231

We are transmitting herewith the attached:

- ☒ A return postcard.
- ☒ Communication Re: Corrected Application Papers (1 pg.)
- ☒ Notice to File Corrected Application Papers (1pg.)
- ☒ Formal Drawings (8 pgs.).

If not provided for in a separate paper filed herewith, please consider this a PETITION FOR EXTENSION OF TIME for sufficient number of months to enter these papers and please charge any additional required fees or credit overpayment to Deposit Account No. 19-0743.


SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.  
P.O. Box 2938, Minneapolis, MN 55402 (612-373-6900)

By: Timothy E. Bianchi  
Name: Timothy E. Bianchi  
Reg. No. 39,610  
TEB:CMG:lkr

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Attn: Box Missing Parts, Commissioner for Patents, Washington, D.C. 20231, on this 9 day of July, 2001.

Leah K. Riveland  
Name

Leah K. Riveland  
Signature



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Andrew P. Kramer et al. Examiner: Unknown  
Serial No.: 09/748,754 Group Art Unit: 3762  
Filed: December 26, 2000 Docket: 279.166US1  
Title: SYSTEM AND METHOD FOR CARDIAC RHYTHM MANAGEMENT WITH  
SYNCHRONIZED PACING PROTECTION PERIOD

---

COMMUNICATION RE: CORRECTED APPLICATION PAPERS

Box Missing Parts  
Commissioner for Patents  
Washington, D.C. 20231

In response to the "Notice to File Corrected Application Papers" (see enclosed copy).  
Enclosed for the above-identified application.

Applicants assume the application is now in proper order and in condition for  
examination. Please direct any inquiries to the undersigned attorney at (612) 373-6912.

If necessary, please charge any additional fees or credit overpayment to Deposit Account  
No. 19-0743.

Respectfully submitted,

ANDREW P. KRAMER ET AL.

By their Representatives,

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.  
P.O. Box 2938  
Minneapolis, MN 55402  
(612) 373-6912

Date

Jul. 9, 2001

By

Timothy E. Bianchi

Timothy E. Bianchi  
Reg. No. 39,610  
TEB:CMG:lkr

I hereby certify that this correspondence is being  
deposited with the United States Postal Service as first  
class mail in an envelope addressed to Assistant  
Commissioner for Patents, Washington, D.C. 20231,

on 9 July 2001  
(Date of Deposit)

Leah K. Riveland

Leah K. Riveland

03CO



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/748,754	12/26/2000	Andrew P. Kramer	279.166US1

CONFIRMATION NO. 4508

21186

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH  
P.O. BOX 2938  
MINNEAPOLIS, MN 55402

FORMALITIES LETTER



\*OC00000006131583\*

Date Mailed: 05/31/2001

## NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

*Filing Date Granted*

The U.S. Patent and Trademark Office has received your reply on to the Notice mailed and it has been entered into the nonprovisional application. The reply, however, doesnot include the following items required in the Notice.


The period of reply remains as set forth in the Notice. You may,however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a)accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. ( 5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

---

*A copy of this notice MUST be returned with the reply.*

  
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE